

## Recommended Immunisation Schedule GREECE, 2006

Age	Vaccines										
	BCG	Di/Te	aP	IPV	Hib	HepB	PCV7	MCVC	MMR	Var	Infl
Birth											
2 months		<b>V</b>	<b>V</b>	<b>V</b>	<b>V</b>	<b>V (1)</b>	<b>V</b>	<b>V</b>			
4 months		<b>V</b>	<b>V</b>	<b>V</b>	<b>V</b>	<b>V</b>	<b>V</b>	<b>V</b>			
6 months		<b>V</b>	<b>V</b>		<b>V</b>		<b>V</b>				
6-18 months				<b>V</b>		<b>V</b>					
9 months											
12-15 months					<b>V</b>				<b>V</b>		
12-18 months							<b>V</b>			<b>V</b>	
15-18 months		<b>V</b>	<b>V</b>					<b>V</b>			
24 months											
4-6 years		<b>V</b>	<b>V</b>	<b>V</b>					<b>V</b>		
6 years	<b>V</b>										
11-18 years		<b>V (2)</b>									
16-18 years											
18-26 years											
> 26 years											
> 60 years											<b>V</b>
65+ years							<b>V (3)</b>				

(1) For infants of HBsAg(-) mothers; for infants of HBsAg(+) mothers vaccination starts at birth.

(2) Td, if 5 years or more have elapsed since the last D/T/P dose; every 10 years thereafter.

(3) PPV23